



No. 153

Nail Polish Collection – “Glass Swan Princess”

Ref: CC/3580/EU

Color Cosmetics

Product Name	INCI Name	%W/W	Supplier
A		100.00	
Nail Polish Base		To 100.00	
B			
Pigment Mix		q.s.	

⇒ With ECKART effect pigments it is easy to create subtle soft colors with excellent coverage without any use of colorants.

1	5.00% SYNCRYSTAL Platinum 1.00% SYNCRYSTAL Very Berry	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide
2	3.00% SYNCRYSTAL Silver 3.00% SYNCRYSTAL Very Berry	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide
3	5.00% SYNCRYSTAL Silver 0.50% SYNCRYSTAL Garnet 0.50% SYNCRYSTAL Sapphire	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide Synthetic Fluorphlogopite (and) Iron Oxides (and) Tin Oxide Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Ferric Ferrocyanide (and) Tin Oxide
4	5.00% SYNCRYSTAL Blue 1.00% SYNCRYSTAL Very Berry	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide
5	5.00% MIRAGE Red 1.00% SYNCRYSTAL Sapphire	Calcium Sodium Borosilicate (and) Titanium Dioxide (and) Tin Oxide Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Ferric Ferrocyanide (and) Tin Oxide
6	5.00% SYNCRYSTAL Gold 1.00% SYNCRYSTAL Turquoise	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Ferric Ferrocyanide (and) Tin Oxide
7	5.00% SYNCRYSTAL Red 1.00% MIRAGE Sparkling Copper	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide Calcium Sodium Borosilicate (and) Iron Oxides (and) Tin Oxide
8	5.00% SYNCRYSTAL Gold 1.00% MIRAGE Sparkling Copper	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide Calcium Sodium Borosilicate (and) Iron Oxides (and) Tin Oxide
9	5.00% SYNCRYSTAL Blue 1.00% SYNCRYSTAL Platinum	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide
10	5.00% SYNCRYSTAL Red 1.00% SYNCRYSTAL Platinum	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide
11	5.00% SYNCRYSTAL Gold 1.00% SYNCRYSTAL Platinum	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide
12	5.00% SYNCRYSTAL Silver 1.00% SYNCRYSTAL Platinum	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide



Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 01.01.2025
Revision : 01.01.2025

A member of 



Soft Finish Foundation – “Glass Veil”

Ref: CC/3575/EU

Color Cosmetics

Product Name	INCI Name	%W/W	Supplier
A			
Abil EM-90	Cetyl PEG/PPG-10/1 Dimethicone	2.50	www.evonik.com
Hydriol PGI	Polyglycerin-4-isostearat	2.00	www.hydriol.com
MOD	Octyldodecyl Myristate	5.00	www.gattefosse.com
Labrafac CC	Caprylic/Capric Triglyceride	4.00	www.gattefosse.com
LexFeel WOW A	Triheptanoin (and) C13-16 Isoparaffin	13.50	www.inolex.com
Goldmann Ti White A L	CI 77891 (Anatas) / hydrogenated lecithin	2.96	www.gold-mann.de
Goldmann Fe Yellow L	CI 77492 / hydrogenated lecithin	0.03	www.gold-mann.de
Goldmann Fe Red L	CI 77491 / hydrogenated lecithin	0.01	www.gold-mann.de
RHEOBYK 7590 PC	Trihydroxystearin	1.00	www.byk.com
B			
Water	Aqua	56.70	
Glycerin 85%	Glycerin	2.00	www.wagnerlanolin.de
Magnesium Sulphate	Magnesium Sulphate	2.00	
C			
SYNAFIL S115	Synthetic Fluorphlogopite	2.00	www.eckart.net
SYNCRYSTAL Silk Silver	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide	5.00	www.eckart.net
Tocomix L50-IP	Tocopherol (and) Helianthus Annuus Seed Oil	0.30	www.jandekker.com
Neofect PEH	Phenoxyethanol, Ethylhexylglycerin	1.00	www.jandekker.com

Procedure:

1. Disperse phase A at high shear
2. Heat phase A to 60/65°C
3. Add phase B slowly to phase A
4. Cool down to 40°C and stir until homogeneous
5. Add phase C step by step
6. Pour into an appropriate container

- ⇒ SYNAFIL S115 provides a soft finish
- ⇒ SYNCRYSTAL Silk Silver provides a silky glow and lightens the skin's own color for a natural appearance



Stability:

Stable for at least 1 month at 50°C.

Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART Cosmetic Colors LLC
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 01.01.2025
Revision : 01.01.2025

A member of 



Liquid Eye Shimmer – “Peach Glaze”

Ref: CC/3576/EU

Color Cosmetics

Product Name	INCI Name	%W/W	Supplier
A		100.00	
Water	Aqua	71.30	
PURABYK-R 5510	Bentonite (and) Xanthan Gum	1.80	www.byk.com
B			
Glycerin 85%	Glycerin	5.00	
C			
Biochemica Biovera Aloe Oil	Aloe Barbadensis Leaf Extract, Canola Oil	1.00	www.hallstarbeauty.com
Emulium Dolcea MB	Cetearyl Alcohol (and) Glyceryl Stearate (and) Jojoba Esters (and) Helianthus Annuus (Sunflower) Seed Wax (and) Sodium Stearoyl Glutamate (and) Water (and) Polyglycerin-3	2.00	www.gattefosse.com
DUB 50 P	Stearic Acid (and) Palmitic Acid	1.00	www.stearinerie-dubois.com
D			
D-Panthenol 75 W	Panthenol	2.00	www.personal-care.basf.com
Euxyl K830	Phenoxyethanol, Ethylhexylglycerin* (and) Octenidine HCl	0.90	www.ashland.com
MIRAGE Red	Calcium Sodium Borosilicate (and) Titanium Dioxide (and) Tin Oxide	14.50	www.eckart.net
SYNCRYSTAL Supernova Orange	Synthetic Fluorphlogopite (and) Iron Oxides (and) Tin Oxide	0.50	www.eckart.net
pH-adjuster		q.s.	

Procedure:

1. Disperse PURABYK-R 5510 into water and stir for 15min under very high shear
2. Add B to A
3. Combine C
4. Heat AB and C separately to 80°C
5. Add C to AB very slowly under high shear
6. Cool down ABC still stirring under high shear
7. Add D to ABC under medium shear and stir until homogeneous, adjust pH to 5.5 to 6.0

- ⇒ MIRAGE Red provides a very natural shimmer due to its subtle translucent sparkle
- ⇒ SYNCRYSTAL Supernova Orange gives a peachy touch to this formulation



Stability:

Stable for at least 1 month at 50°C.

Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 01.01.2025
Revision : 01.01.2025

A member of  ALTANA



Liquid Eye Shimmer – “Peach Glaze”

Ref: CC/3576/EU

Color Cosmetics

Product Name	INCI Name	%W/W	Supplier
A		100.00	
Water	Aqua	71.30	
PURABYK-R 5510	Bentonite (and) Xanthan Gum	1.80	www.byk.com
B			
Glycerin 85%	Glycerin	5.00	
C			
Biochemica Biovera Aloe Oil	Aloe Barbadensis Leaf Extract, Canola Oil	1.00	www.hallstarbeauty.com
Emulium Dolcea MB	Cetearyl Alcohol (and) Glyceryl Stearate (and) Jojoba Esters (and) Helianthus Annuus (Sunflower) Seed Wax (and) Sodium Stearoyl Glutamate (and) Water (and) Polyglycerin-3	2.00	www.gattefosse.com
DUB 50 P	Stearic Acid (and) Palmitic Acid	1.00	www.stearinerie-dubois.com
D			
D-Panthenol 75 W	Panthenol	2.00	www.personal-care.basf.com
Euxyl K830	Phenoxyethanol, Ethylhexylglycerin* (and) Octenidine HCl	0.90	www.ashland.com
MIRAGE Red	Calcium Sodium Borosilicate (and) Titanium Dioxide (and) Tin Oxide	14.50	www.eckart.net
SYNCRYSTAL Supernova Orange	Synthetic Fluorphlogopite (and) Iron Oxides (and) Tin Oxide	0.50	www.eckart.net
pH-adjuster		q.s.	

Procedure:

1. Disperse PURABYK-R 5510 into water and stir for 15min under very high shear
2. Add B to A
3. Combine C
4. Heat AB and C separately to 80°C
5. Add C to AB very slowly under high shear
6. Cool down ABC still stirring under high shear
7. Add D to ABC under medium shear and stir until homogeneous, adjust pH to 5.5 to 6.0

- ⇒ MIRAGE Red provides a very natural shimmer due to its subtle translucent sparkle
- ⇒ SYNCRYSTAL Supernova Orange gives a peachy touch to this formulation



Stability:

Stable for at least 1 month at 50°C.

Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 01.01.2025
Revision : 01.01.2025

A member of  ALTANA



Aqua Blush Stick "Enchanted Rose"

Ref: CC/3577/EU

Color Cosmetics

Product Name	INCI Name	%W/W	Supplier
A			
Water	Aqua	21.20	
PURABYK-R 5510	Bentonite (and) Xanthan Gum	0.80	www.byk.com
B			
Citric Acid (10%)	Citric Acid	3.00	
C			
1,2-Propanediol	Propylene Glycol	25.00	
Glycerin 99,7%	Glycerin	14.00	www.jeen.com
Sodium Stearate	Sodium Stearate	6.00	
Brij35	Laureth-23	6.00	
D			
SYNCRYSTAL Scarlet	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Carmine (and) Tin Oxide	1.75	www.eckart.net
SYNCRYSTAL Silk Silver	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide	1.75	www.eckart.net
SYNAFIL S525	Synthetic Fluorphlogopite	16.50	www.eckart.net
E			
Gatuline Radiance	Propanediol (and) Evodia Rutaecarpa Fruit Extract	2.00	www.gattefosse.com
Gatuline Renew	Butylene Glycol (and) Water (and) Cryptomeria Japonica Bud Extract	1.00	www.gattefosse.com
Lotus	Fragrance	0.20	www.bell-europe.com
Optiphen	Phenoxyethanol (and) Caprylyl Glycol	0.80	www.ashland.com

Procedure:

1. Sprinkle PURABYK-R 5510 into a vortex of water, then stir very high shear for at least 15 minutes
2. Add B to A and stir until homogeneous
3. Add C to AB step by step
4. Heat ABC to 75°C and stir with medium shear for 20 minutes at this temperature
5. Add D and stir with medium shear until homogeneous
6. Add E shortly before pouring process
7. Pour into an appropriate container

- ⇒ SYNCRYSTAL Scarlet and SYNCRYSTAL Silk Silver in combination create a light pastel pink with a natural glow
- ⇒ SYNAFIL S525, as a translucent filler, supports the silky appearance on skin



Stability:

Stable for at least 1 month at 50°C.

Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 01.01.2025
Revision : 01.01.2025



Glass Gloss – “Magic Petal”

Ref: CC/3578/EU

Color Cosmetic

Product Name	INCI Name	%W/W	Supplier
A			
Veggie Gel 407	C15-19 Alkane, Hydrogenated Styrene /Butadiene Copolymer	46.00	www.aiglon.eu
Vegelight 1214	Coconut Alkanes (and) Coco-Caprylate/Caprate	21.00	www.grantinc.com
Miglyol DO	Decyl Oleate	31.00	www.ioioleo.de
Tocomix L50-IP	Tocopherol, Helianthus Annuus (Sunflower) Seed Oil	0.80	www.jandekker.com
B			
MIRAGE Holo Magic	Calcium Sodium Borosilicate (and) Titanium Dioxide (and) Tin Oxide (and) Iron Oxides (and) Silica	0.70	www.eckart.net
SYNCRYSTAL Very Berry	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide	0.15	www.eckart.net
SYNCRYSTAL Silver	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide	0.15	www.eckart.net
Raspberry	Flavor	0.20	

Procedure:

1. Combine phase A and homogenize without incorporating air
2. Add phase B and homogenize without incorporating air
3. Pour into an appropriate container

- ⇒ MIRAGE Holo Magic is a key ingredient to achieve an optical volumizing effect
- ⇒ SYNCRYSTAL Very Berry and SYNCRYSTAL Silver in combination give a very natural rose color shade



Stability:

Stable for at least 1 month at 50°C.

Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 01.01.2025
Revision : 01.01.2025



Brow Styling Fluid – “Soft Feather”

Ref: CC/3579/EU

Color Cosmetics

Product Name	INCI Name	%W/W	Supplier
A		100.00	
Water	Aqua	71.40	
PURABYK-R 5510	Bentonite (and) Xanthan Gum	1.80	www.byk.com
B			
Glycerin 85%	Glycerin	5.00	
C			
Biochemica Biovera Aloe Oil	Aloe Barbadensis Leaf Extract, Canola Oil	1.00	www.hallstarbeauty.com
Emulium Dolcea MB	Cetearyl Alcohol (and) Glyceryl Stearate (and) Jojoba Esters (and) Helianthus Annuus (Sunflower) Seed Wax (and) Sodium Stearoyl Glutamate (and) Water (and) Polyglycerin-3	2.00	www.gattefosse.com
DUB 50 P	Stearic Acid (and) Palmitic Acid	1.00	www.stearinerie-dubois.com
D			
D-Panthenol 75 W	Panthenol	2.00	www.carecreations.basf.com
Euxyl K830	Phenoxyethanol, Ethylhexylglycerin* (and) Octenidine HCl	0.80	www.ashland.com
SYNCRYSTAL Soft Black	Synthetic Fluorphlogopite (and) Iron Oxides	9.00	www.eckart.net
SYNCRYSTAL Soft Autumn Gold	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide	1.00	www.eckart.net
SYNAFIL S115	Synthetic Fluorphlogopite	5.00	www.eckart.net
pH-adjuster		q.s.	

Procedure:

1. Disperse PURABYK-R 5510 into water and stir for 15min under very high shear
2. Add B to A
3. Combine C
4. Heat AB and C separately to 80°C
5. Add C to AB very slowly under high shear
6. Cool down ABC still stirring under high shear
7. Add D to ABC under medium shear and stir until homogeneous, adjust pH to 5.5 to 6.0

- ⇒ SYNCRYSTAL Soft Black and SYNCRYSTAL Soft Autumn Gold in combination create a warm dark brown. Due to their small particle size, the pigments fit perfectly around each individual hair.
- ⇒ SYNAFIL S115 works as an translucent filler and softens the appearance of the pigments

Stability:

Stable for at least 1 month at 50°C.

Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com



This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 01.01.2025
Revision : 01.01.2025

A member of  ALTANA