

Glossy Lip Color – “Bachelorette Blush”

Color Cosmetics

Ref: CC/1839/EU

Product Name	INCI Name	%W/W	Supplier
A		100.00	
Versagel ME 750	Hydrogenated Polyisobutene (and) Ethylene/ Propylene/ Styrene Copolymer (and) Butylene/ Ethylene/ Styrene Copolymer	78.90	www.penreco.com
Tegosoft OP	Ethylhexyl Palmitate	5.00	www.evonik.com
Silkflo 364 NF	Hydrogenated Polydecene	9.00	www.ineosoligomers.com
B			
MIRAGE Red	Calcium Sodium Borosilicate (and) Titanium Dioxide (and) Tin Oxide	5.00	www.eckart.net
Covanol Rubine OS 4714	Red 34 (CI 15880:1) (and) Octyldodecanol	2.00	www.sensient-cosmetics.com
C			
Tutti Frutti	Flavour	0.10	www.symrise.com

Procedure:

1. Weigh in phase A and heat up to 80°C
2. Add phase B and mix until homogeneous
3. Add one by one phase C
4. Fill into an appropriate container

⇒ The colorant Red 34 tints the bulk and the use of MIRAGE Red gives the perfect topping for this formula



Stability:

Stable for at least 6 months at RT and 40°C.
Stable for at least 1 month at 50°C.

Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 26.03.2015
Revision : 26.03.2023

BiBaBerry Lipstick – “Number One”

Ref: CC/2183/EU

Color Cosmetics

Product Name	INCI Name	%W/W	Supplier
A			
Belsil PDM 20	Trimethylsiloxyphenyl Dimethicone	14.80	www.wacker.com
Kahlwax 2442	Copernicia Cerifera Cera	2.50	www.kahlwax.com
Kahlwax 2039	Candelilla Cera	4.00	www.kahlwax.com
Kahlwax 8139	Cera Alba	3.50	www.kahlwax.com
Kahlwax 1899	Ozokerite	4.00	www.kahlwax.com
Softisan 649	Bis-Diglyceryl Polyacyladipate-2	16.30	www.sasolwax.com
Lipocire A Pellets	C10-18 Triglycerides	3.00	www.gattefosse.com
Panale L14E	Hydrogenated Polyisobutene	14.00	www.ineos.com
Silshine 151	Phenylpropyldimethylsiloxysilicate	5.00	www.momentive.com
Lexgard O	Caprylyl Glycol	1.00	www.inolex.com
dl-alpha-Tocopheryl Acetate	Tocopheryl Acetate	1.00	www.imcdgroup.com
B			
Belsil PDM 20	Trimethylsiloxyphenyl Dimethicone	10.00	www.wacker.com
GARAMITE-7308 XR	Quaternium-90 Sepiolite (and) Quaternium-90 Montmorillonite	1.50	www.eckart.net
C			
MIRAGE Glamour Red	Calcium Sodium Borosilicate (and) Titanium Dioxide (and) Tin Oxide	10.00	www.eckart.net
SYNCRYSTAL Blue	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide	5.00	www.eckart.net
Red 27 Lake (CI 45410) (20%)	Red 27 (and) Castor Oil	3.90	
Blue 1 (CI 42090) (33%)	Blue 1 (and) Castor Oil	0.10	
Cocos	Aroma	0.40	www.pura-natura.com

Procedure:

1. Melt phase A by heating to 80-85°C
2. Predisperse GARAMITE 7308 in Belsil PDM 20 and add to phase A
3. Add phase C and stir until uniform
4. Cool down to 75°C and pour into lip stick mold

- ⇒ It features a shimmery berry shade with a sparkling glow
- ⇒ GARAMITE-7308 XR promotes anti-settling and improves the spreadability

Stability:

Stable for at least 6 months at RT and 40°C.
Stable for at least 1 month at 50°C.

Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 04.04.2023
Revision : 04.04.2023



Lip Shine – “Lollipop”

Ref: CC/2695/EU

Color Cosmetics

Product Name	INCI Name	%W/W	Supplier
A			
		100.00	
Versagel ME 1600	Hydrogenated Polyisobutene (and) Ethylene/ Propylene/ Styrene Copolymer (and) Butylene/ Ethylene/ Styrene Copolymer	80.50	www.penreco.com
Silshine 151	Phenylpropyldimethylsiloxysilicate	5.00	www.momentive.com
Silsoft 034	Caprylyl Methicone	4.00	www.momentive.com
DUB MCT 5545	Caprylic/ Capric Triglyceride	8.00	www.stearinerie-dubois.com
B			
MIRAGE Bright Blue	Calcium Sodium Borosilicate (and) Titanium Dioxide (and) Tin Oxide	3.00	www.eckart.net
SYNCRYSTAL Green	Synthetic Fluorophlogopite (and) Titanium Dioxide (and) Tin Oxide	2.00	www.eckart.net
Red 7 Lake (CI 15850) (13%)	Red 7 Lake (and) Castor Oil	0.30	www.spectracolor.com
C			
Coconut	Flavour	0.20	www.pura-natura.com

Procedure:

1. Heat phase A to 80-85°C
2. Let batch cool to 75°C and add phase B
3. Add phase C under low shear and mix until homogeneous

⇒ MIRAGE Bright Blue in combination with SYNCRYSTAL Green adds an eye-catching glam and shine to the lip gloss, while the colorant Red give that pink color



Stability:

Stable for at least 6 months at RT and 40°C.
Stable for at least 1 month at 50°C.

Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 10.02.2018
Revision : 10.02.2023

A member of 

3D Strobing Gloss – “Glamorous Lips”

Ref: CC/2729/EU

Color Cosmetics

Product Name	INCI Name	%W/W	Supplier
A			
		100.00	
Versagel ME 1600	Hydrogenated Polyisobutene (and) Ethylene/ Propylene/ Styrene Copolymer (and) Butylene/ Ethylene/ Styrene Copolymer	74.30	www.penreco.com
Silshine 151	Phenylpropyldimethylsiloxysilicate	5.00	www.momentive.com
Silsoft 034	Caprylyl Methicone	4.00	www.momentive.com
DUB MCT 5545	Caprylic/ Capric Triglyceride	8.00	www.stearinerie-dubois.com
B			
MIRAGE Glamour Red	Calcium Sodium Borosilicate (and) Titanium Dioxide (and) Tin Oxide	3.00	www.eckart.net
MIRAGE Glamour Blue	Calcium Sodium Borosilicate (and) Titanium Dioxide (and) Tin Oxide	3.00	www.eckart.net
SYNCRYSTAL Gold	Synthetic Fluorophlogopite (and) Titanium Dioxide (and) Tin Oxide	2.00	www.eckart.net
Red 34 Lake (CI 15880) (24%)	Red 34 (and) Castor Oil	0.50	www.spectracolors.com
C			
Vanilla	Flavor	0.20	www.pura-natura.com

Procedure:

1. Heat phase A to 80-85°C
2. Let batch cool to 75°C and add phase B
3. Add phase C under low shear and mix until homogeneous



Stability:

Stable for at least 6 months at RT and 40°C.
Stable for at least 1 month at 50°C.

Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 29.03.2023
Revision : 29.03.2023

Lip Gloss – “Spring Break”

Ref: CC/2957/EU

Color Cosmetics

Product Name	INCI Name	%W/W	Supplier
A			
		100.00	
Versagel ME 750	Hydrogenated Polyisobutene (and) Ethylene/ Propylene/ Styrene Copolymer (and) Butylene/ Ethylene/ Styrene Copolymer	74.80	www.penreco.com
Silshine 151	Phenylpropyldimethylsiloxysilicate	5.00	www.momentive.com
Silsoft 034	Caprylyl Methicone	4.00	www.momentive.com
DUB MCT 5545	Caprylic/ Capric Triglyceride	8.00	www.stearinerie-dubois.com
B			
SYNCRYSTAL Blue	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide	3.00	www.eckart.net
SYNCRYSTAL Red	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Tin Oxide	4.00	www.eckart.net
Red 6 (CI 15850) (24%)	Red 6 (and) Castor Oil	1.00	
C			
Apricot	Flavour	0.20	www.pura-natura.com

Procedure:

1. Heat phase A to 80-85°C
2. Let batch cool to 75°C and add phase B
3. Add phase C under low shear and mix until homogeneous

⇒ SYNCRYSTAL Blue and SYNCRYSTAL Red adds an eye-catching shine to the lip gloss, while the colorant give that pink color



Stability:

Stable for at least 6 months at RT and 40°C.
Stable for at least 1 month at 50°C.

Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.

Date: 28.02.2019
Revision : 28.02.2023

A member of 

Nail Polish – “Pink Jelly”

Ref: CC/3401/EU

Color Cosmetics

Colorless Top Coat			
Product Name	INCI Name	%W/W	Supplier
A		100.00	
Nail Polish Base		Up to 100.00	
MIRAGE Twinkling Red	Calcium Sodium Borosilicate (and) Titanium Dioxide (and) Tin Oxide	2.00	www.eckart.net

Pink Jelly Nail Polish			
Product Name	INCI Name	%W/W	Supplier
A		100.00	
Nail Polish Base		Up to 100.00	
Coluchip Carmin BS 545 (10%)	CI 15850 (and) Acetyl tributyl citrate (and) Ethylcellulose	2.00%	www.cosmetic-expertise.com
MIRAGE Twinkling Red	Calcium Sodium Borosilicate (and) Titanium Dioxide (and) Tin Oxide	2.00	www.eckart.net

Procedure:

1. Combine all ingredients and disperse with medium shear until homogeneous

⇒ MIRAGE Twinkling Red gives the formulation a strong sparkling and transparent accent completely free from micro plastic. It is COSMOS approved



Stability:

Stable for at least 6 months at RT and 40°C.
Stable for at least 1 month at 50°C.

Customer Support

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

Date: 01.05.2023
Revision : 01.05.2023

A member of 